


LYRA

KUPAONSKI ORMARIĆ S UMIVAONIKOM
VISEĆA KOLONA
OGLEDALA

KOPALNIŠKA OMARICA Z UMIVALNIKOM
VISEĆA STRANSKA OMARICA
OGLEDALA

BADEZIMMERSCHRANK MIT WASCHBECKEN
HOCHSCHRÄNKE
SPIEGEL

BATHROOM CABINET WITH SINK
TALL CABINET
MIRRORS



1


8x
Ø8 x 50 mm

2


8x
Ø5 x 60 mm

3


8x
Ø5 mm

4

2x



LYRA 50



LYRA 60 / 80 / 100 / 120

1

ø 8 mm

60

1

	L (mm)
LYRA 50	435
LYRA 60	535
LYRA 80	735
LYRA 100	935
LYRA 120	1135

2


3

PODEŠAVANJE


PRILAGODITEV

EINSTELLUNG

ADJUSTMENT




a




b

Univerzalna
Univerzalni
Universal
Universa







1a




1b

Univerzalna / Univerzalni
Universal / *Universa*







4b Univerzalna / Univerzalni
Universal / Universa




5a



- 1





2x
Ø 8 mm
- 2




2x

1





2





3 x 1,5 mm²
220 V, 50 Hz

Osigurati instalaciju zaštitnim uređajem
diferencijalne struje (FID - sklopka)


Zagotovite instalacijo z zaščitno napravo
diferenčnega toka (RCCB stikalo)

Sichern Sie die Installation mit einer
Fehlerstromschutzschalter (FID - Schalter)

Secure the installation with a protective device
residual current circuit breaker (RCCB)

LYRA	x=(mm)
30	160
40	220
50	260
60	360


2



3



Električni priključak mora izvesti ovlaštena osoba.
Električni priključek mora izvesti pooblaščen oseba.
 Der Anschluss an die Stromversorgung sollte
 erfolgen nur durch Fachkraft!!
*Connection to electrical power supply should be done
 only by qualified person!*



4

